Chapter 3 STRESS

Adlard, P.A., Cotman, C.W. Voluntary exercise protects against stress-induced decreases in brain-derived neurotrophic factor protein expression. Neuroscience 124 (2004) 985–992

Adlard, P.A., Perreau, V.M., & Cotman, C.W. (2005). The exercise-induced expression of BDNF within the hippocampus varies across life-span. Neurobiology of Aging, 26, 511-520.

Adlard, P.A., Perreau, V.M., Engesser-Cesar, C., & Cotman, C.W. (2004). The time course of induction of brain-derived neurotrophic factor mRNA and protein in the rat hippocampus following voluntary exercise. Neuroscience Letters, 363, 43-48.

Adrian S. Fairey, Kerry S. Courneya, Catherine J. Field, Gordon J. Bell, Lee W. Randomized controlled trial of exercise and blood immune function in postmenopausal breast cancer survivors J Appl Physio , 2005 98:1534-1540.

Ames, E. The development of Romanian orphanage children adopted to Canada (Final Report to the National Welfare Grants Program; Human Resources Development. Canada) Burnaby, Canada; Simon Fraser University (1997)

and behavioral manipulations. NeuroRx. 2004 Jan;1(1):111-6.

Arumugam T.,Gleichmann M., Tang S., Mattson M. Hormesis/preconditioning mechanisms, the nervous system and aging. Ageing Research Reviews 5 (2006) 165–178

Arumugam TV, Gleichmann M, Tang SC, Mattson MP. Hormesis/preconditioning mechanisms, the nervous system and aging. Ageing Res Rev. 2006 May;5(2):165-78. Epub 2006 May 8.

Atlantis E, Chow CM, Kirby A, Singh MF. An effective exercise-based intervention for improving mental health and quality of life measures: a randomized controlled trial. Prev Med. 2004 Aug;39(2):424-3

Benjamin N. Greenwood B., Foley T., Burhans D., Maier S., Fleshner M. The consequences of uncontrollable stress are sensitive to duration of prior wheel running. Brain Research 1033 (2005) 164–178.

Bernaards C., van den Heuvel S., Ihendriksen I.., Houtman I., Bongers P. Can strenuous leisure time physical activity prevent - psychological complaints in a working population? Occup Environ Med. 2006:63:10-16

Biddle, S. (1995) Exercise and psychological health. Research Quarterly for Exercise and Sport 66, 292-297.

Biddle, S.J.H., Fox, K.R. and Boutcher, S.H. (2000) Physical activity and psychological well-being. London: Routledge.

Blumenthal JA, Sherwood A, Babyak MA, Watkins LL, Waugh R, Georgiades A, Bacon SL, Hayano J, Coleman RE, Hinderliter A.

Booth FW, Chakravarthy MV, Spangenburg EE. Exercise and gene expression: physiological regulation of the human genome through physical activity. J Physiol. 2002 Sep 1;543(Pt 2):399-411. Review.

Booth FW, Chakravarthy MV, Gordon SE, Spangenburg EE. Waging war on physical inactivity: using modern molecular ammunition against an ancient enemy. J Appl Physiol. 2002 Jul;93(1):3-30. Review.

Booth FW, Vyas DR. Genes, environment, and exercise. Adv Exp Med Biol. 2001;502:13-20. Review.;

Brown J. Staying Fit and Staying Well: Physical Fitness as a Moderator of Life Stress. Journal of Personality and Social Psychology, 1991, Vol. 60, No. 4, S55-S61

Brown JD, Lawton M. Stress and well-being in adolescence: The moderating role of physical exercise. J Hum Stress 1986;12:125–31.

Brownlee C. Buff and Brainy. Science news 2006.

Carrasco G., Van de Kar L., Neuroendocrine pharmacology of stress. European Journal of Pharmacology 463 (2003) 235– 272

Chakravarthy MV, Booth FW. Eating, exercise, and "thrifty" genotypes: connecting the dots toward an evolutionary understanding of modern chronic diseases. J Appl Physiol. 2004 Jan;96(1):3-10. Review.

Chen MJ, Russo-Neustadt AA. Nitric oxide signaling participates in norepinephrine-induced activity of neuronal intracellular survival pathways. Life Sci. 2007 Sep 29;81(16):1280-90. Epub 2007 Sep 15.

Clin Exp Pharmacol Physiol. 2007 Apr;34(4):377-84. Review.

Coe CL, Kramer M, Czeh B, Gould E, Reeves AJ, Kirschbaum C, Fuchs E. Prenatal stress diminishes neurogenesis in the dentate gyrus of juvenile rhesus monkeys. Biol Psychiatry. 2003 Nov 15;54(10):1025-1034.

Demark-Wahnefried W. Cancer survival: time to get moving? Data accumulate suggesting a link between physical activity and cancer survival. J Clin Oncol. 2006 Aug 1;24(22):3517-3518.

DeVries, H. A. (1981). Tranquilizer effect of exercise: A critical review The Physician and Sports Medicine, 9, 46–55.

DeVries, H. A., Wiswell, R. A., Bulbulian, R., & Moritani, T. (1981). Tranquilizer effect of exercise: Acute effects of moderate aerobic exercise on spinal reflex activation level. American Journal of Physical Medicine, 60, 57–66

Dickhuth HH, Niess AM, Rocker K, Heitkamp HC. [The significance of physical activity on the physiological stress reaction] Z Kardiol. 1999 May;88(5):305-14.

Dishman, R.K., Berthoud, H.R., Boot, F.W., Cotman, C.W., Edgerton, V.R., Fleshner, M.R., Gandevia, S.C., Gomez-Pinilla, F., Greenwood, B.N., Hillman, C.H., Kramer, A.F., Levin, B.E., Toran, T.H., Russo-Neustadt, A.A., Salamone, J.D., Van Hoomissen, J.D., Wade, C.E., York, D.A. & Zigmound, M.J. (2006). The neurobiology of exercise. Obesity Research, 14(3), 345-356.

DROSTE S., GESING A, ULBRICHT S., MULLER M., LINTHORST A., REUL J. Effects of Long-Term Voluntary Exercise on the Mouse Hypothalamic-Pituitary-Adrenocortical Axis. Endocrinology 144(7):3012–3023

Effects of exercise and stress management training on markers of cardiovascular risk in patients with ischemic heart disease: a randomized controlled trial. JAMA. 2005 Apr 6;293(13):1626-34.

Elder GA, De Gasperi R, Gama Sosa MA. Research update: neurogenesis in adult brain and neuropsychiatric disorders. Mt Sinai J Med. 2006 Nov;73(7):931-40. Review.

Fabel, K., Fabel, K, Tam, B., Kaufer, D., Baiker, A., Simmons, N., Kuo, C.J., Palmer, T.D. (2003). VEGF is necessary for exercise-induced adult hippocampal neurogenesis. European Journal of Neuroscience, 18, 2803-2812.

Fleshner M. Physical activity and stress resistance: sympathetic nervous system adaptations prevent stress-induced immunosuppression. Exerc Sport Sci Rev. 2005 Jul;33(3):120-6.

Fleshner M. Physical Activity and Stress Resistance: Sympathetic Nervous System Adaptations Prevent Stress-Induced Immunosuppression. Exerc. Sport. Sci. Rev., Vol. 33, No. 3, pp. 120–126, 2005.

Gould E, Tanapat P, McEwen BS, Flugge G, Fuchs E (1998): Proliferation of granule cell precursors in the dentate gyrus of adult monkeys is diminished by stress. Proc Natl Acad Sci U S A 95:3168 –3171.

Greenwood BN, Foley TE, Burhans D, Maier SF, Fleshner M. The consequences of uncontrollable stress are sensitive to duration of prior wheel running. Brain Res. 2005 Feb 8;1033(2):164-78.

Gunnar, M. et al Development and Psychopathology 13: 611 – 628 (2001)

Hang Zheng a, Yanyou Liu a, Wei Li a, Bo Yanga, Dengbang Chena, Xiaojia Wang a, Zhou Jiang a, Hongxing Wang b, Zhengrong Wang A, G. Cornelisson c, F. Halberg. Beneficial effects of exercise and its molecular mechanisms on depression in rats Behavioural Brain Research xxx (2005) xxx–xxx

Kay S., Singh F., The influence of physical activity on abdominal fat: a systematic review of the literature. Obesity reviews (2006) 7, 183–200

Keats MR, Courneya KS, Danielsen S, Whitsett SF. Leisure-time physical activity and psychological well-being in adolescents after cancer diagnosis. J Pediatr Oncol Nurs 1999;16:180–8

Korte SM, Koolhaas JM, Wingfield JC, McEwen BS. The Darwinian concept of stress: benefits of allostasis and costs of allostatic load and the trade-offs in health and disease. Neurosci Biobehav Rev. 2005 Feb;29(1):3-38.

Kortea S Koolhaas J. Wingfield J McEwen BS. The Darwinian concept of stress: benefits of allostasis and costs of allostatic load and the trade-offs in health and disease. Neuroscience and Biobehavioral Reviews 29 (2005) 3–38

Kujala U., Evidence for exercise therapy in the treatment of chronic disease based on at least three randomized controlled trials – summary of published systematic reviews. Scand J Med Sci Sports 2004: 14: 339–345

LeDoux J, Gorman J. A Call to Action: Overcoming Anxiety Through Active Coping Am J Psychiatry 158:12, December 2001

Lee AL, Ogle WO, Sapolsky RM. Stress and depression: possible links to neuron death in the hippocampus. Bipolar Disord. 2002 Apr;4(2):117-28. Review.

Ljung T, Ahlberg AC, Holm G, Friberg P, Andersson B, Eriksson E, Bjorntorp P. Treatment of abdominally obese men with a serotonin reuptake inhibitor: a pilot study. J Intern Med. 2001 Sep;250(3):219-24.

Mattson M., Duan W., Wan R., Guo Z.. Prophylactic Activation of Neuroprotective Stress Response Pathways by Dietary and Behavioral Manipulations. NeuroRx : The Journal of the American Society for Experimental NeuroTherapeutics. Vol. 1, 111–116,.

Mattson MP, Duan W, Wan R, Guo Z. Prophylactic activation of neuroprotective stress response pathways by dietary

Mattson MP, Maudsley S, Martin B. A neural signaling triumvirate that influences ageing and age-related disease: insulin/IGF-1, BDNF and serotonin. Ageing Res Rev. 2004 Nov;3(4):445-64. Review.

Mattson MP, Maudsley S, Martin B. BDNF and 5-HT: a dynamic duo in age-related neuronal plasticity and neurodegenerative disorders. Trends Neurosci. 2004 Oct;27(10):589-94.

Mattson MP. Dietary factors, hormesis and healthAgeing Research Reviews, In Press, Available online 4 September 2007

Mattson MP. Neuronal life-and-death signaling, apoptosis, and neurodegenerative disorders. Antioxid Redox Signal. 2006 Nov-Dec;8(11-12):1997-2006. Review.

Mattson MP. Neuroprotective signaling and the aging brain: take away my food and let me run. Brain Research 886 (2000) 47–53

McEwen BS. Physiology and neurobiology of stress and adaptation: central role of the brain. Physiol Rev. 2007 Jul;87(3):873-904. Review.

McEwen BS. Protective and damaging effects of stress mediators: central role of the brain. Dialogues Clin Neurosci. 2006;8(4):367-81.

McEwen BS. Stressed or stressed out: what is the difference? J Psychiatry Neurosci. 2005 Sep;30(5):315-8.

McKittrick CR, Magariños AM, Blanchard DC, Blanchard RJ, McEwen BS, Sakai RR. Chronic social stress reduces dendritic arbors in CA3 of hippocampus and decreases binding to serotonin transporter sites. Synapse. 2000 May;36(2):85-94.

McTiernan A: Physical activity after cancer: Physiologic outcomes. Cancer Invest 22:68-81, 2004

Mirescu C, Gould E. Stress and adult neurogenesis. Hippocampus. 2006;16(3):233-8. Review.

Mirescu C, Peters JD, Gould E. Early life experience alters response of adult neurogenesis to stress. Nat Neurosci. 2004 Aug;7(8):841-

Morgan, W. P., & O'Connor, P. J. (1988). Exercise and mental health. In R. K. Dishman (Ed.), Exercise adherence. Champaign, IL: Human Kinetics.

Mueller PJ. Exercise training and sympathetic nervous system activity: evidence for physical activity dependent neural plasticity.

Norris R, Carroll D, Cochrane R. The effects of physical activity and exercise training on psychological stress and well-being in an adolescent population. J Psychosom Res 1992;36:55–65.

Norris, R., Carroll, D. and Cochrane, R. (1990) The effects of aerobic and anaerobic training on fitness, blood pressure, and psychological stress and wellbeing. Journal of Psychosomatic Research 34, 367-375.

Pedersen B. Saltin B. Evidence for prescribing exercise as therapy in chronic disease. Scand J Med Sci Sports 2006: 16 (Suppl. 1): 3–63

Pedersen B., Hoffman-Goetz L. Exercise and the Immune System: Regulation, Integration, and Adaptation. PHYSIOLOGICAL REVIEWS Vol. 80, No. 3, July 2000.1055-1073.

Powell, K.E. and Blair, S.N. (1994) The public health burdens of sedentary living habits: Theoretical but realistic estimates. Medicine and Science in Sports and Exercise 26, 851-856.

Radley JJ, Rocher AB, Miller M, Janssen WG, Liston C, Hof PR, McEwen BS, Morrison JH. Repeated stress induces dendritic spine loss in the rat medial prefrontal cortex. Cereb Cortex. 2006 Mar;16(3):313-20.

Sandlund, E.S. and Norlander, T. (2000) The effects of tai chi chuan relaxation and exercise on stress responses and well-being: An overview of research. Journal of Stress Management 7, 139-149.

Sapolsky R. Taming stress. Sci Am. 2003 Sep;289(3):86-95.

Sapolsky RM (2000): The possibility of neurotoxicity in the hippocampus in major depression: A primer on neuron death. Biology Psychiatry 48:755–765.

Sapolsky RM. Chickens, eggs and hippocampal atrophy. Nat Neurosci. 2002 Nov;5(11):1111-3.

Sarbadhikari S., Saha A.,Moderate exercise and chronic stress produce counteractive effects on different areas of the brain by acting through various neurotransmitter receptor subtypes: A hypothesis Theoretical Biology and Medical Modelling 2006, 3:33

Scaccianoce S, Del Bianco P, Caricasole A, Nicoletti F, Catalani A.Relationship between learning, stress and hippocampal brain-derived neurotrophic factor. Neuroscience. 2003;121(4):825-8.

Scaccianoce S, Del Bianco P, Paolone G, Caprioli D, Modafferi AM, Nencini P, Badiani A. Social isolation selectively reduces hippocampal brain-derived neurotrophic factor without altering plasma corticosterone. Behav Brain Res. 2006 Apr 3;168(2):323-5.

Schmitz KH, Holtzman J, Courneya KS, et al: Controlled physical activity trials in cancer survivors: Systematic review and meta-analysis. Cancer Epidemiol Biomarkers Prev 14:1588-1595, 2005

Schnohr P., Kristensen T., E. Prescott1 E., Scharling H.Stress and life dissatisfaction are inversely associated with jogging and other types of physical activity in leisure time----The Copenhagen City Heart Study. Scand J Med Sci Sports 2005: 15: 107–112

Scully, D., Kremer J., Meade, M.M., Graham, R. and Dudgeon, K. (1998) Physical exercise and psychological well-being: A critical review. British Journal of Sports Medicine 32, 111-120.

Shephard, R.J. (1992). Twelve years experience of a fitness program for the salaried employees of a Toronto life assurance company. American Journal of Health Promotion, 6, 292–301.

Shephard, R.J. (1996). Worksite fitness and exercise programs: A review of methodology and health impact. American Journal of Health Promotion, 10, 436–452.

Soya H, Nakamura T, Deocaris CC, Kimpara A, Iimura M, Fujikawa T, Chang H, McEwen BS, Nishijima T. BDNF induction with mild exercise in the rat hippocampus. Biochem Biophys Res Commun. 2007 Jul 13;358(4):961-7.

Sponsler R. Cameron J. Nuclear shipyard worker study (1980–1988): a large cohort exposed to low-dose-rate gamma radiation. Int. J. Low Radiation, Vol. 1, No. 4, p 2005 463-478.

Stranahan A.,Khalil D., Gould E. Social isolation delays the positive effects of running on adult neurogenesis. NATURE NEUROSCIENCE VOL 9 NUMBER 4 2006. 526-533.

Stranahan AM, Khalil D, Gould E. Social isolation delays the positive effects of running on adult neurogenesis. Nat Neurosci. 2006 Apr;9(4):526-33.

Tsatsoulis A, Fountoulakis S. The protective role of exercise on stress system dysregulation and comorbidities. Ann N Y Acad Sci. 2006 Nov;1083:196-213.

Vaynman, S. & Gomez-Pinilla, F. (2006). Revenge of the “sit”: How lifestyle impacts neuronal and cognitive health though molecular systems that interface energy metabolism with neuronal plasticity. Journal of Neuroscience Research, 84, 699-71

Vollmayr B, Simonis C, Weber S, Gass P, Henn FA (2003): Reduced cell proliferation in the dentate gyrus is not correlated with the development of learned helplessness. Biol Psychiatry 54:1035–1040.

Warner-Schmidt J., Duman R. Hippocampal Neurogenesis: Opposing Effects of Stress and Antidepressant Treatment. HIPPOCAMPUS 16:239–249 (2006)

Wattles M. Harris C. The Relationship Between Fitness, Perceived Productivity, Job Satisfaction and Absenteeism. Journal of Exercise Physiology online. Volume 6 Number 1 February 2003. 24-32.

Wendy Demark-Wahnefried. Cancer Survival: Time to Get Moving? Data Accumulate Suggesting a Link Between PhysicalActivity and Cancer Survival. JOURNAL OF CLINICAL ONCOLOGY. 2006. pp 3517-3518

Woodard CM, Berry MJ. Enhancing adherence to prescribed exercise: structured behavioral interventions in clinical exercise programs. J Cardiopulm Rehabil 2001;21:201–9.

Youngstedt, S. D., O'Connor, P. J., Crabbe, J. B., & Dishman, R. K. (1998). Acute exercise reduces caffeine-induced anxiogenesis. Medicine and Science in Sports and Exercise, 30, 740–745.

Zheng H, Liu Y, Li W, Yang B, Chen D, Wang X, Jiang Z, Wang H, Wang Z, Cornelisson G, Halberg F. Beneficial effects of exercise and its molecular mechanisms on depression in rats. Behav Brain Res. 2006 Mar 15;168(1):47-55.